

## Department of Education

Region I **Schools Division Office** San Carlos City, Pangasinan

Reference No: 20241029-001

SUPPLEMENTAL/BID BULLETIN NO.: 11371522-1;

### SUPPLY AND DELIVERY OF LEARNING TOOLS AND EQUIPMENT (LTE) FOR **TECHNOLOGY AND LIVELIHOOD EDUCATION (TLE)**

The Schools Division Office of San Carlos City Bids and Awards Committee would like to inform you of the following additional instructions and amendments made on the Bidding Documents for the abovementioned project to wit:

SUPPLY AND DELIVERY OF LEARNING TOOLS AND EQUIPMENT (LTE) FOR TECHNOLOGY AND LIVELIHOOD EDUCATION (TLE)		
FROM	ТО	
<b>1. SECTION VII.</b> TECHNICAL SPECIFICATIONS PAGE 42, ITEM DESCRIPTION, ITEM NO. 15	1. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 42, ITEM DESCRIPTION, ITEM NO. 15	
Fire, Extinguisher (with contents)	Fire, Extinguisher (with contents)	
<ol> <li>For type A,B,C Fire: Dry Chemicals (Monoammonium Phospate)</li> <li>Portable Type</li> <li>Capacity: 5-6kgs</li> <li>rechargeable cylinder meal</li> <li>working pressure of cylinder: 400 psi</li> <li>brass valve with pressure gauge</li> <li>With Rubberized hose and aluminum Nozzle Attached</li> <li>with Squeeze lever to discharge and safty pin</li> <li>painted with metal primer and red enamel paint</li> <li>Includes with user's guide in english that contains:</li> <li>operating procedure on how to use the equipment</li> <li>1 year warranty parts and service</li> <li>The item must be branded and have good quality.</li> </ol>	For type A,B,C Fire: Dry Chemicals (Monoammonium Phospate) Portable Type Capacity: 5-6kgs Rechargeable cylinder meal Working pressure of cylinder: 400 psi Brass valve with pressure gauge With Rubberized hose and aluminum Nozzle Attached With Squeeze lever to discharge and safety pin Painted with metal primer and red enamel paint Includes with user's guide in English that contains: a. operating procedure on how to use the equipment 1 year warranty parts and service The item must be branded and have good quality.	



Roxas Blvd., San Carlos City, Pangasinan

Tel. No./Fax No.: (075) 632-3293



### Department of Education

Region I **Schools Division Office** San Carlos City, Pangasinan

2. SECTION VII. TECHNICAL SPECIFICATIONS

PAGE 43, ITEM DESCRIPTION, ITEM NO. 19

FRYING PAN, LARGE

Type: Frying Pan (large) Body Shape; Round

Pan material: Aluminum with non-stick coating

Thickness: 3 mm thick (minimum)

Dimension: Diameter- 30cm (minimum) x height-

5.5 cm (minimum)

Handle Material: Stainlesss Steel with silicone

Riveted Handle: 20cm long (minimum)

Preferably with packaging case

oven safe up to 250

**TECHNICAL** 2. SECTION VII. SPECIFICATIONS PAGE 43, ITEM DESCRIPTION, ITEM NO. 19

FRYING PAN, LARGE

Type: Frying Pan (large) Body Shape; Round

Pan material: Aluminum with non-stick coating

Thickness: 3 mm thick (minimum)

Dimension: Diameter- 30cm (minimum) x height-

5.5 cm (minimum)

Handle Material: Stainlesss Steel with silicone

Riveted Handle: 20cm long (minimum)

Preferably with packaging case

oven safe up to 250 °F

3. SECTION VII. TECHNICAL **SPECIFICATIONS** PAGE 44, ITEM DESCRIPTION, ITEM NO. 23

FUNNEL, S/S, SMALL

Type: Stainless steel Funnel

Body shape: Round

Material: 304 stainless Steel

Dimension: Diameter -11 cm (minimum) x height-

10cm (minimum)

Tube Diameter: 1.5 cm x length: 5cm (minimum)

Comes with handle for easy hanging

Preferably with packing case

3. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 44, ITEM DESCRIPTION, ITEM NO. 23

FUNNEL, S/S, SMALL

Type: Stainless steel Funnel

Body shape: Round

Material: 304 stainless Steel

Dimension: Diameter -11 cm (minimum) x

height- 10cm (minimum)

Tube Diameter: 1.5 cm x length: 5cm (minimum)

Comes with handle for easy hanging

Preferably with packing case

Dishwasher safe

4. SECTION VII. TECHNICAL **SPECIFICATIONS** PAGE 45, ITEM DESCRIPTION, ITEM NO. 24,25,26

\*not included

4. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 45, ITEM DESCRIPTION, ITEM NO. 24,25,26

**Garbage Bin** 

Type: Swivel Lid Garbage Bin

**Body Shape: Round** 

Material: Hard Plastic, Polypropylene

Dimension: Diameter-26 cm x Height-47

cm (minimum)

Capacity: 4 gallons (minimum)

Removable dome shape Lid with spring

return swivel

Preferably with a packing case



Address:

Roxas Blvd., San Carlos City, Pangasinan

Tel. No./Fax No.: (075) 632-3293



## Department of Education

Region I Schools Division Office San Carlos City, Pangasinan

Color: any color

Smooth and no rough surfaces

**GLASS RACK** 

Type: Glass Rack Body Shape: Square

**Material: Polypropylene Plastic** 

Overall Dimension: Length-19 1/2 inches x

Width- 19 1/2 inches

Heigth- 4 inches (minimum)

Compartments: Full-size 25 individual

compartment glass rack

Compartment Dimensions:Length -3 1/2 inches x Width -3 1/2 inches x Height -4

inches (minimum)

Easy grip handles molded into all four sides

Preferably with a packing case

The plastic material used must be non-

toxic

Ice Cream Scooper Body shape: Round Material: Stainless Steel

Scoop: Diameter-5cm x deep 2.5 cm

(minimum)

Handle lenght: 10-12 cm

with trigger spring handle and scoop

scraper mechanism
Easy grip and durable

Preferably with a packing case

The materials used must be food grade

and non-toxic

Dishwasher safe and rust free

Must be branded

**5. SECTION VII.** TECHNICAL SPECIFICATIONS PAGE 60, ITEM DESCRIPTION, ITEM NO. 75

WIRE WHISK, SMALL

Type: Wire Whisk , small Body Shape: Balloon

Material: Stainless steel wire whisk medium Dimensions (L x W): 20.3 cm x 6 cm (minimum) Handle length: 10 cm (minimum) with hanging

loop

**5. SECTION VII.** TECHNICAL SPECIFICATIONS PAGE 60, ITEM DESCRIPTION, ITEM NO. 75

WIRE WHISK, SMALL

Type: Wire Whisk, small Body Shape: Balloon

Material: Stainless steel wire whisk medium Dimensions (L x W): 20.3 cm x 6 cm (minimum) Handle length: 10 cm (minimum) with hanging

loop



Address: Roxas Blvd., San Carlos City, Pangasinan

Tel. No./Fax No.: (075) 632-3293



## Department of Education

Region I **Schools Division Office** San Carlos City, Pangasinan

No. of wires: 6 wires

Wire Diameter: 1.8 mm (minimum) Preferably with a packing case

Dishwasher safe

No. of wires: 6 wires

Wire Diameter: 1.8 mm (minimum) Preferably with a packing case

Must be branded

**SPECIFICATIONS** 6. SECTION VII. TECHNICAL PAGE 61, ITEM DESCRIPTION, ITEM NO. 78

Working **Table** 

Type: Working Table, Stainless Steel

Body Shape: Rectangular

Material: 304 Stainless Steel, 1.29 mm thick

(Gauge 16) minimum

Length: 1220 mm (minimum) Width: 700 mm (minimum) Height: 850 (minimum)

Tubular Stainless Steel legs, 38 mm (minimum)

with 4 adjustable bullet feet Fully welded construction

Thickness: Gauge 16 (1.29 mm thick) minimum

Stainless Steel table top with stainless steel

undershelf is 650 mm (minimum) Preferably with a packing case or crate No sharp edges and rough surfaces

Must be branded

Dishwasher safe

6. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 61, ITEM DESCRIPTION, ITEM NO. 78

**Working Table** 

Type: Working Table, Stainless Steel

Body Shape: Rectangular

Material: 304 Stainless Steel, 1.29 mm thick

(Gauge 16) minimum

Length: 1220 mm (minimum) Width: 700 mm (minimum) Height: 850 (minimum)

Tubular Stainless Steel legs, 38 mm (minimum)

with 4 adjustable bullet feet Fully welded construction

Thickness: Gauge 16 (1.29 mm thick) minimum

Stainless Steel table top with stainless steel

undershelf is 650 mm (minimum) Preferably with a packing case or crate No sharp edges and rough surfaces

Must be branded

7. SECTION VII. TECHNICAL **SPECIFICATIONS** PAGE 62, ITEM DESCRIPTION, ITEM NO. 83

Cup and Saucers 5-6 oz 1. Material: Porcelain 2. Capacity: 5 0z./140 ml 3. Heatproof up to 300 °C

4. Color: White

5. The item must be of good quality

6. Packed in cartoon box

**Color: White** 

8. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 65, ITEM DESCRIPTION, ITEM NO. 91

Glass, Juice/HI-Ball 1. Material: Clear Glass

2. Type: Hi-ball

3. Height: 140- 160 mm 4. Bottom Diameter: 50-70 mm

5. Top Diameter: 50-70 mm

7. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 62, ITEM DESCRIPTION, ITEM NO. 83

Cup and Saucers 5-6 oz **Material: Porcelain** Capacity: 5 0z./140 ml Heatproof up to 300 °C

The item must be of good quality

Packed in cartoon box

8. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 65, ITEM DESCRIPTION, ITEM NO. 91

Glass, Juice/HI-Ball **Material: Clear Glass** 

Type: Hi-ball

Height: 140- 160 mm

Bottom Diameter: 50-70 mm Top Diameter: 50-70 mm



Address: Roxas Blvd., San Carlos City, Pangasinan

Tel. No./Fax No.: (075) 632-3293



# Department of Education

Region I **Schools Division Office** San Carlos City, Pangasinan

6.	Thickness: 2-4mm (minimum)	
7.	Capacity: 8 oz. To 10 oz.	

8. Dishwasher safe

9. The item must be branded and good quality

10. Packed in carton box

9. SECTION VII. TECHNICAL **SPECIFICATIONS** PAGE 66, ITEM DESCRIPTION, ITEM NO. 96

Ice Bucket, 2 liter with Tongs

Type: Steel Type Body Shape: Circular

Set includes; A. Ice bucket

Material: Stainless steel Diameter: 140- 180 mm Height: 140- 170 mm

Thickness of bucket: 0.7-2 mm Capacity: 2 liters (minimum) The item must have good quality

B. Ice Tongs

Material: Stainless Steel

Dimension: Over-all Length: 150- 170 mm

Thickness: 0.5 mm - 0.7 mm The item must be good quality

Packed in carton box

Thickness: 2-4mm (minimum)

Capacity: 8 oz. To 10 oz.

Dishwasher safe

The item must be branded and good

Packed in carton box

9. SECTION VII. TECHNICAL SPECIFICATIONS PAGE 66, ITEM DESCRIPTION, ITEM NO. 96

Ice Bucket, 2 liter with Tongs

Type: Steel Type Body Shape: Circular

Set includes: A. Ice bucket

Material: Stainless steel Diameter: 140- 180 mm Height: 140- 170 mm

Thickness of bucket: 0.7-2 mm Capacity: 2 liters (minimum) The item must have good quality

B. Ice Tongs

Material: Stainless Steel

Dimension: Over-all Length: 150- 170 mm

Thickness: 0.5 mm - 0.7 mm

Packed in carton box

The item must be good quality

All other provisions of the bidding documents which are not affected shall remain in force and in effect.

Please be guided accordingly.

DOMINGO L. LAUD, EdD, CESE

OIC, Assistant Schools Division Superintendent Chairperson, Bids and Awards Committee

Address:

Roxas Blvd., San Carlos City, Pangasinan

Tel. No./Fax No.: (075) 632-3293